Thursday, 3/30/2006 10:05:48 AM

User

Kim Johnston

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number : 26445

Estimate Number

: 10275

P.O. Number

: N/P

: 3/30/2006 This Issue Prsht Rev.

: M/A First Issue

: 25972 **Previous Run**

Written By Checked & Approved By

Comment

: Est: F02.04.68

S.O. No. : N/A

: SMALL /MED FAB Type

Added dwg Rev.C1 NG

Part Number

Drawing Name

Drawing Number

: D2565 REV E : N/A

: STRUT

: D2565103

Project Number **Drawing Revision**

Material

: 4/15/2006 **Due Date**

Qty:

Each

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

304 RD Tube .750 x .049W

M304TR0750W049 1.0

Comment: Qty.: 1.5934 f(s)/Unit Total: 31.8675 f(s)

304 RD TUBE .750 X.49W

304/316/318-2B Seamless Tubing, 3/4" O.D. x 0.049" wall

(M304TR0750W049)

Batch M 100540

2.0

BRAKE NC

NC BRAKE



Comment: BRAKE NC

Punch to length as per Dwg D2565 using DT8313

SMALL & MEDIUM FAB RESOURCE 1

3.0



Comment: SMALL & MEDIUM FAB RESOURCE 1

1-Drill hole open to .316 Ø as per Dwg D2565 (one end only)

2-Deburr

INSPECT WORK TO CURRENT STEP

06.04.05

4.0

QC5



06.04.23

06.04.03

WORK TO CURRENT STEP

5.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat White (Ref: 4.3.5.2) as per QSI 005 4.3

a.m06-05-03

20

20

Dart Ae	rospace	e Ltd		-					
W/O:			W	ORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
								·	
				e .		. :			
Part No	:	PAR #:	Fault Cate	egory: NC	R: Yes	DQA:	B	Date: <u></u>	×405/08
					QA: N/	C Closed:		_ Date: _	
NCR:			WORK ORD	ER NON-CONFORMANCI	E (NCR)			
		Description of NC Corrective Action			on B Verif		cation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Section C	Chief Eng	QC Inspector		

NCR:		•	WORK ORDER HOR-SOM ORMANDE (NOR)								
		Description of NC	Corrective Action Section B			Verification	A	Ammanal			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector			
						<u> </u>					
							,				
· · · · · · · · · · · · · · · · · ·							į				
							1				

NOTE: Date & initial all entries

Daty: User:

Thursday, 3/30/2006 10:05:48 AM

Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: STRUT

Job Number: 26445

Part Number: D2565103

Job Number:



Seq. #:

Machine Or Operation:

Description:

6.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT

PACKAGING RESOURCE #1



7.0

PACKAGING 1




Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: 51 185

DOCUMENT CONTROL



8.0

DC





Comment: DOCUMENT CONTROL

Inspection Level 21



Job Completion



W 06/05/08

Dart Ae	rospace	e Ltd		·					
W/O:			W	ORK ORDER CHANGES	3				
DATE	STEP	PRO	CEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		Mgr							
·····		· · · · · · · · · · · · · · · · · · ·							·
									·
Part No	•	PAR #:	Fault Cate	gory:	NCR: Yes	No DQA	٨:	Date:	
					QA: N	/C Closed	d:	Date:	
NCR:		٧	VORK ORD	ER NON-CONFORMAN	CE (NCR	3)			
		Description of NC	Corrective Action Section B			Verific	ation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section		Chief Eng	QC Inspector
						-			
						-			
								,	
							-		
		•	-						

NOTE: Date & initial all entries






E

DESIG	#	DRAWN BY	DART AEROSPACE LI HAWKESBURY, ONTARIO, CANADA	ΓD
CHEC	(ED	APPROVEO	DRAWING NO. SE	REV. E
DATE	-11	- IM	TITLE	HEET 1 OF 1.
04.0	5.05		STRUT	- 1:3
Α		96.05.03	NEW ISSUE	
В		97.03.15	CORRECT D2565-111 DIM. A	
С		98.10.05	UPDATED MATERIAL NOTE (TSR A	(603)
D		02.06.05	ADD -3XX PARTS; ADD FINISH	

04.05.05 | ADD D2565-401-411; RMV ANGLE D



- efec-	-
A	
DIA 0.257 TO BE PUNCHED/ "C" DIA TO BE OPENED MANUALLY	

PART #	Α	В	DIA C
D2565-101	20.52	19.72	0.316
- D2565-103	18.21	17.41	0:316
D2565-105	20.19		0.316
D2565-107	13.43	12.63	
D2565-109	12.31	11.51	_
D2565-111	13.65	12.85	
D2565-201			
D2565-203			
D2565-205	21.22	20.42	0.316
D2565-207	16:07	15.27	
D2565-209			
D2565-211	14.14	13.34	
D2565-301	27.03	26.23	0.316
D2565-303	25.34	24.54	
D2565-305			
D2565-307			
D2565-309		19.37	_
D2565-311	16.30	15.50	_

D2565-401		17.49	0.316
D2565-403		14.84	0.316
D2565-405		18.65	0.316
D2565-407	10.79	9.99	
D2565-409	9.34	8.54	_
D2565-411	13.81	13.01	

GENERAL NOTES

PUNCH ENDS PER SPEC CONTROL DRAWING D2638 -

1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL (REF DART SPEC. M304TR0.750W0.049)

ENSURE SEAMLESS TUBE IS USED

SHOP COPY

RETURN TO

ENGINEERING

UNCONTROLLED COPY 2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4 DIBJECT TO AMENDMENT 3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED WITHOUT NOTICE

4) ALL DIMENSIONS ARE IN INCHES

WITHOUT NOTICE WORK ORDER

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.